

WMG SERIES

The **WMG Series** is a Printed Circuit Board (PCB), which is installed in an air-conditioning unit, ready to accept instructions from a compatible LCD wireless remote control, an LED wired remote control or an LCD wired remote control.

The WMG Series can be produced to respond to all, or a selection of functions as listed in the features, depending on the requirements of each customer.

The module is designed for wall mount air conditioner, with ease in installation and low power consumption.

FEATURES

- **Auto/Cool/Dry/Fan/Heat/Defrost** system control modes.
- **Auto/High/Medium/Low** indoor fan speed control selection.
- Single speed outdoor fan control.
- **Louver** and **Swing** control.
- Real Time **Clock** with Real Time On/Off **Timer** up to 15 hours.
- **Sleep** function for **Cool**, **Heat** and **Auto** mode.
- LEDs display for **Cool**, **Dry**, **Fan**, **Heat**, **Sleep**, **Timer** and **Ion** (Ionizer).
- Memory backup (non-volatile) for last state settings option.
- **Multi-split** (MSP) model option.
- Compatible with wired and wireless controller.
- Heat Mode Offset 2 °C.
- Compressor 9 minutes force on.
- Integrated **Cold Start**, **Hot Start** and **Hot Keep** functions to rapidly bring room temperature to selected setting during power on.
- On-line testing activation (**OnTAC**)
- **Turbo** and **Ionizer** function. (*Optional Features*)
- **Plasma** (dust collector). (*Optional Feature*)



WMH SERIES

The **WMH Series** is a Printed Circuit Board (PCB), which is installed in an air-conditioning unit, ready to accept instructions from a compatible LCD wireless remote control, an LED wired remote control or an LCD wired remote control.

The WMH Series can be produced to respond to all, or a selection of functions as listed in the features, depending on the requirements of each customer.

The module is designed for wall mount air-conditioner, with ease in installation and low power consumption.

FEATURES

- **Auto/Cool/Dry/Fan/Heat** system control modes.
- **Auto/Turbo/High/Medium/Low/Silent** variable indoor fan speed control selection.
- **Louver** control.
- Real Time **Clock** with Real Time On/Off **Timer** up to 15 hours.
- **Sleep** function for **Cool, Heat** and **Auto** mode.
- Compatible with wired and wireless controller.
- LEDs display for **Cool, Dry, Fan, Heat, Sleep** and **Timer**.
- On-line testing activation (**OnTAC**)
- **Multi-split** (MSP) model option.
- **Memory backup** (non-volatile) for last state settings option.
- Compressor 9 minutes force on.
- Switch Mode Power Supply (**SMPS**) for more stable input voltage and current.
- Integrated **Cold Start, Hot Start** and **Hot Keep** functions to rapidly bring room temperature to selected setting during power on.
- **Turbo** function.(*Optional Feature*)



PICTURE



Wall Mount



WMH Series



WMG Series



LCD Handset



Display Unit

